

The Anatolian Journal of Cardiology

Anatol J Cardiol • Volume 15 • Issue 5 • May 2015

Editor-in-Chief Bilgin Timuralp

Editor Zeki Öngen

Advisory Board of This Issue

Ayşen Ağaçdiken Ağır Rüchan Akar Feray Akbaş Nazire Belgin Akıllı Mehmet Kadri Akboğa Fatih Altunkaş **Dursun Aras** Soraya Arzhan Beste M. Atasoy Allen Crow Zeki Çatav Okan Erdoğan Damir Fabiianic Mvuna Ho Jeona Nihat Kalay Belma Uvgur Kalavcı Ata Kırılmaz Se-Hong Kim Bertalan Kracsko Alparslan Kurtul Andrea Di Marco Nasim Naderi Seçkin Pehlivanoğlu **Bahar Pirat** Nicolas De Schryver Hermona Soreg Yelda Tayyareci Taner Ulus Emre Yalçınkaya Cheng-Hui Yan Mustafa Yılmaz Hikmet Yorgun

Original Investigations

Cytochrome P 450 2 C19 polymorphism and occurrence of one-year in-stent restenosis Younes Nozari, Tehran-Iran

Editorial Comment: P 450 2 C19 polymorphism and in-stent restenosis Bertalan Kracskó, Debrecen-Hungary

Epicardial adipose tissue volume and information about localization of coronary disease Nesat Cullu, Muğla-Turkev

Editorial Comment: Epicardial adipose tissue Cemil İzgi et al.; London-UK

Wall motion changes in infarction and the time elapsed from symptoms until revascularization Ildikó Rácz, Debrecen-Hungary

Editorial Comment: Infarcted cardiac wall Myung Ho Jeong, Dongku, Gwangju-Republic of Korea

Percutaneous transvenous mitral commissurotomy using the Bonhoeffer Multi-Track system Muhammad Tariq Farman, Karachi-Pakistan

Neutrophil-to-lymphocyte ratio in patients with rheumatic mitral valve stenosis Mehmet Kadri Akboğa, Ankara-Turkey

Platelet-lymphocyte ratio and left ventricular systolic dysfunction in acute coronary syndromes Adem Bekler, Canakkale-Turkey

Relationship between platelet-to-lymphocyte ratio and coronary slow flow Muhammed Oylumlu, Diyarbakır-Turkey

Arterial stiffness, and serum uric acid, bilirubin, neutrophil-to-lymphocyte ratio in coronary disease Aslı Tanındı, Ankara-Turkey

Different clinical presentations of Naxos disease and Carvajal syndrome: single center experience Ali Baykan, Kayseri-Turkey

Page: E-13, 14







Volkan Yüksel

Editor-in-Chief

Bilgin Timuralp, Eskişehir, Turkey

Editor

Zeki Öngen, İstanbul, Turkey

Associate Editors

Mehmet Bilge, Ankara, Turkey Alparslan Birdane, Eskisehir, Turkev Yüksel Cavusoğlu, Eskisehir, Turkey Turgay Celik, Ankara, Turkey Recep Demirbağ, Sanlıurfa, Turkey Sadi Güleç, Ankara, Turkey Mehmet Güngör Kaya, Kayseri, Turkey Mustafa Kılıçkap, Ankara, Turkey

Sanem Nalbantgil, Izmir, Turkey Yılmaz Nişancı, İstanbul, Turkev Kurtulus Özdemir, Konya, Turkey Necla Özer, Ankara, Turkev Ercan Tutar, Ankara, Turkey Ahmet Tulga Ulus, Ankara, Turkey Berrin Umman, İstanbul, Turkey Hüseyin Uyarel, İstanbul, Turkey

Editor-in-Chief Consultant

Suna Kıraç, Lefkoşe, KKTC

Senior Consultant in Biostatistics

Kazım Özdamar, Eskişehir, Turkey

Consultants in Biostatistics

Canan Bavdemir, Kocaeli, Turkev

Fezan Mutlu, Eskisehir, Turkev

International Editorial Board

Adnan Abacı, Ankara, Turkev Kamil Adalet, İstanbul, Turkey Ramazan Akdemir, Sakarya, Turkey Levent Akvürek, Götebora, Sweden Necmi Ata, Eskişehir, Turkey Tayfun Aybek, Ankara, Turkey Saide Aytekin, Istanbul, Turkey Vedat Aytekin, İstanbul, Turkey Liuba Bacharova, Bratislava, Slovak Republic Luiggi P. Badano, Udine, Italy Gani Bajraktari, Prishtina, Kosovo Isık Basar, İstanbul, Turkev George A. Beller, Charlottesville, VA. USA Ahmet Birand, İstanbul, Turkey Dirk L. Brutsaert, Antwerp, Belaium Gerald D. Buckberg, Los Angeles, CA, USA Cahid Civelek, St. Louis, MO, USA Ubeydullah Deligönül, Tyler TX, USA Ertan Demirtas, Ankara, Turkey Ali Emin Denktaş, Houston, TX, USA Polychronis Dilaveris, Athens, Greece Firat Duru, Zurich, Switzerland Rasim Enar. İstanbul. Turkev Oktay Eray, Antalya, Turkey Ertuğrul Ercan, İzmir, Turkey Okan Erdoğan, İstanbul, Turkev Ali Ergin, Kayseri, Turkey Cetin Erol, Ankara, Turkey

Ali Serdar Fak. İstanbul. Turkev Roberto Ferrari, Ferrara, Italy Armen Y. Gasparyan, West Midlands, UK Ali Gholamrezanezhad, Tahran, İran Hasan Gök, Konya, Turkey Bülent Görenek, Eskişehir, Turkey Sema Güneri, İzmir, Turkey Deniz Güzelsoy, İstanbul, Turkey Masayasu Hiraoka, Tokyo, Japan Coskun İkizler, Ankara, Turkey Barış İlerigelen, İstanbul, Turkey Erkan İriz, Ankara, Turkey Diwakar Jain, Philadelphia, USA Charles Jazra. Bawchrieh. Lebanon Göksel Kahraman, Kocaeli, Turkey Mehmet Kaplan, İstanbul, Turkev Sezer Karcier, İstanbul, Turkey Erdem Kaşıkçıoğlu, İstanbul, Turkey Cihangir Kaymaz, İstanbul, Turkey Mustafa Kılıç, Denizli, Turkey Serdar Kula, Ankara, Turkey Serdar Küçükoğlu, İstanbul, Turkey Hakan Kültürsay, İzmir, Turkey Samuel Levy, Marseille, France Jason M. Lazar, New York, USA Peter Macfarlane, Renfrewshire, Scotland Robert W. Mahlev, San Francisco, CA, USA G.B. John Mancini, Vancouver BC, Canada Matti Mänttäri, Helsinki, Finland Barry J. Maron. Minnesota, USA Pascal Meier, London, UK Franz H. Messerli. New York. USA Haldun Müderrisoğlu, Ankara, Turkey İstemi Nalbantgil, İzmir, Turkey Navin C. Nanda, Birmingham, AL, USA Altan Onat, İstanbul, Turkey Hakan Oral, Ann Arbor, MI, USA M. Remzi Önder, İzmir, Turkey Mehmet Bülent Özin, Ankara, Turkey Mehmet Özkan, İstanbul, Turkey Süheyla Özkutlu, Ankara, Turkey Azmi Özler, İstanbul, Turkey Ahmet Fatih Özyazıcıoğlu, Bursa, Turkey Sotirios N. Prapas, Athens, Greece Shahbudin Rahimtoola, Los Angeles, CA, USA Vedat Sansoy, İstanbul, Turkey Muhammed Saric, New York, USA Murat Sezer, İstanbul, Turkey Mark V. Sherrid, New York, USA Horst Sievert, Frankfurt, Germany İlke Sipahi, İstanbul, Turkey İnan Soydan, İzmir, Turkey Hulki Meltem Sönmez, Aydın, Turkey

Richard Sutton, Monaco, Monaco Ahmet Sasmazel, İstanbul, Turkey Zeynep Tartan, İstanbul, Turkey Oğuz Taşdemir, Ankara, Turkey Ahmet Temizhan, Ankara, Turkev Adam Timmis, London, England S. Lale Tokgözoğlu, Ankara, Turkey Oktay Tutarel, Hannover, Germany Murat Tuzcu, Cleveland, OH, USA Volkan Tuzcu, İstanbul, Turkey Taner Ulus, Eskişehir, Turkey Sabahattin Umman, İstanbul, Turkey Dilek Ural, Kocaeli, Turkey Ahmet Ünalır. Eskisehir. Turkev Marc A. Vos, Utrecht, Netherlands Galen Wagner, Durham, NC, USA Hein Wellens, Maastricht, Netherlands Hüseyin Uğur Yazıcı, Eskişehir, Turkey Nuran Yazıcıoğlu, İstanbul, Turkey Murat Yeşil, İzmir, Turkey Remzi Yılmaz, Antalya, Turkey Kiyoshi Yoshida, Okayama, Japan Mehmet Yokusoğlu. Ankara. Turkev Jose L. Zamorano, Madrid, Spain Wojciech Zareba, New York, USA Mehdi Zoghi, İzmir, Turkey



The Owner and Publishing Manager on behalf of the Turkish Society of Cardiology

Türk Kardiyoloji Derneği adına İmtiyaz Sahibi ve Sorumlu Yazı İsleri Müdürü Sadberk Lale Tokgözoğlu

Address: Nish İstanbul A Blok Kat: 8, No: 47-48

Çobançeşme Sanayi Cad. No: 11 Yenibosna, Bahcelievler 34196

İstanbul, Türkiye :+90 212 221 1730-38 Phone :+90 212 221 1754 Fax E-mail :tkd@tkd.org.tr Web : www.tkd.org.tr

Editor-in-Chief Office

Phone :+90 222 229 15 65 :+90 222 229 15 85 Fax :info@anatoljcardiol.com E-mail

btimur@ogu.edu.tr

Assistants to the Editor-in-Chief

Betül TUNTAŞ **Bilge TUNALI** Sadiye BULUT



The Anatolian Journal of Cardiology is partly supported by University of Eskişehir Osmangazi (ESOGU). ESKİŞEHİR OSMANGAZİ ÜNİVERSİTESİ MEŞELİK KAMPÜSÜ 26480 ESKİŞEHİR Phone: +90 222 239 71 48 Fax: +90 222 239 54 00

Publisher İbrahim KARA

Publication Director

Ali ŞAHİN

Deputy Publication Director

Gökhan ÇİMEN

Publication Coordinators

Esra GÖRGÜLÜ Ebru MUTLU Betül CİMEN Sanive İNGİN Nihan GÜLTAN İrem Naz GÜVEL Dilşad GÜNEY

Finance Coordinator

Veysel KARA

Project Coordinators

Hakan ERTEN Zeynep YAKIŞIRER **Graphics Department**

Ünal ÖZER Neslihan YAMAN

Merve KURT

Contact

Address: Büyükdere Cad. No: 105/9 34394 Mecidiyeköy, Şişli, İstanbul

Phone :+90 212 217 17 00 :+90 212 217 22 92 Fax E-mail : info@avesyayincilik.com

Yayın Türü: Yerel Süreli Basım Tarihi: Mayıs 2015 Basım Yeri: ADA Ofset Matbaacılık Tic. Ltd. Şti., Litros Yolu 2. Matbaacılar S. E Blok No: (ZE2)

1. Kat Topkapı, İstanbul Telefon: +90 212 567 12 42

AIMS AND SCOPE

The Anatolian Journal of Cardiology is an international monthly periodical on cardiology published on independent, unbiased, double-blinded and peer-review principles. The journal's publication language is English however titles of articles, abstracts and Keywords are also published in Turkish on the journal's web site.

The Anatolian Journal of Cardiology aims to publish qualified and original clinical, experimental and basic research on cardiology at the international level. The journal's scope also covers editorial comments, reviews of innovations in medical education and practice, case reports, original images, scientific letters, educational articles, letters to the editor, articles on publication ethics, diagnostic puzzles, and issues in social cardiology.

The target readership includes academic members, specialists, residents, and general practitioners working in the fields of adult cardiology, pediatric cardiology, cardiovascular surgery and internal medicine.

The editorial and publication processes of the journal are conducted in accordance with the guidelines of the International Committee of Medical Journal Editors (ICMJE), the World Association of Medical Editors (WAME), the Council of Science Editors (CSE), the European Association of Science Editors (EASE), the Committee on Publication Ethics (COPE) and the HEART Group.

The Anatolian Journal of Cardiology is indexed in Science Citation Index Expanded, PubMed/MEDLINE, EMBASE, Scopus, EMCare, CINAHL, Gale/Cengage Learning, EBSCO, DOAJ, ProQuest, Index Copernicus and TÜBİTAK ULAKBİM TR Index.

The requirements for submission of manuscripts and detailed information about the evaluation process are available in the published journal and also as 'Instructions for Authors' on the web site (http://www.anatoljcardiol.com).

Statements and opinions expressed in the *Anatolian Journal of Cardiology* reflect the views of the author(s). All liability for the advertisements rests with the appropriate organization(s). The Turkish Society of Cardiology, the editor-in-chief and AVES do not accept any responsibility for these articles and advertisements.

Subscriptions

The Anatolian Journal of Cardiology is printed on acid-free paper. Applications for subscriptions should be made to the Editorial Office. The abstracts and full texts of published articles can be accessed free of charge at http://www.anatoljcardiol.com.

Financial support and advertising

The revenue of the *Anatolian Journal of Cardiology* is derived from subscription charges and advertisements. Institutions wishing to place an advertisement in the printed version of the journal or on the web page should contact AVES.

Owner : Turkish Society of Cardiology

Address : Cobançeşme Sanayi Cad., No:11, Nish İstanbul, A Blok, No:47-48, 34196,

Yenibosna, Bahçelievler, İstanbul, TURKEY

Phone : +90 212 221 17 30 / +90 0212 221 17 38

Fax : +90 212 221 17 54 E-mail : tkd@tkd.org.tr

Editor-in-Chief: Prof. Dr. Bilgin Timuralp

Address : ESOGÜ Tıp Fakültesi, Merkezi Derslikler, Kat:3, No:1, 26480, Meşelik, Eskişehir, TURKEY

Phone : +90 222 229 15 65 / +90 533 966 48 67

Fax : +90 222 229 15 85 E-mail : info@anatoljcardiol.com

Publisher : AVES - İbrahim Kara

Address : Büyükdere cad. 105/9, 34394, Mecidiyeköy, Şişli, İstanbul, TURKEY

Phone : +90 212 217 17 00
Fax : +90 212 217 22 92
E-mail : info@avesyayincilik.com

INSTRUCTIONS FOR AUTHORS

The Anatolian Journal of Cardiology is published in accordance with the principles of independent, unbiased, and double-blinded peer review. It publishes original research related to clinical, experimental and basic sciences on cardiology, editorial comments, reviews covering current issues, educational articles, scientific letters, case reports, letters to the editor, original images, articles on history of medicine and publication ethics, diagnostic puzzles, and interviews deemed appropriate for the purposes and scope of the journal

The journal evaluates only the manuscripts submitted through its online submission system on the web site http://www.anatoljcardiol.com. Manuscripts sent by other means will not be

The primary conditions for the acceptance of manuscripts for publication are originality, scientific value and citation potential.

STATEMENTS AND GUIDELINES

Statements

- All statements and opinions expressed in the manuscripts published in the Anatolian Journal of Cardiology reflect the views of the author(s). All liability for the advertisements rests with the appropriate organization(s). The Turkish Society of Cardiology, the Editorin-Chief and AVES do not accept any responsibility for articles and advertisements.
- The manuscripts submitted to the journal, except abstracts, presentations, reviews and parts of theses, should not have been accepted and published previously elsewhere in electronic or printed format. Manuscripts evaluated and rejected by other journals must mention any previous submissions and supply reviewer's reports. This will help to accelerate the evaluation process. If the submitted manuscript has been previously presented at a meeting, the name, date, city and country must be specified.
- The authors transfer all copyrights of the manuscript in the framework of national and international regulations to the Turkish Society of Cardiology as of evaluation process. A Copyright Transfer Form signed by corresponding author in order must be submitted to the journal with manuscript. After acceptance of manuscript, all of authors must fill and sign Copyright Transfer form. A separate form for each manuscript should be submitted. Manuscripts submitted without a Copyright Transfer Form will not be accepted. In the case of rejection, all copyrights transfer to the authors again. Authors must confirm that they will not submit the work to another journal, publish it in the original or another language and or allow a third party to use the manuscript without the written permission of the Turkish Society of Cardiology.
- All contents are the authors' responsibility. All financial liability and legal responsibility associated with the copyright of submitted tables, figures and other visual materials protected by national and international laws rest with the authors. The authors take responsibility for any legal proceedings issued against the journal.
- Rejected manuscripts will not be returned except for artwork.
- To clarify scientific contributions and responsibilities and any conflict of interest issues relevant to the manuscript, all parts of the 'Authors' Contribution' form must be completed by the corresponding author and the 'ICMJE Uniform Disclosure Form for Potential Conflicts of Interest' must be completed online by all authors. Both forms should be included in the manuscript at the time of original submission.

Guidelines

- The format of the manuscripts must be in accordance with the ICMJE Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2014: http://www.icmje.org/icmje-recommendations.pdf).
- The presentation of the manuscripts must be in accordance with international guidelines. CONSORT should be used for randomized trials, STROBE for observational studies, STARD for diagnostic studies, PRISMA for systematic reviews and meta-analyses, ARRIVE for animal studies, and TREND for non-randomized behavior and public health studies

- All manuscripts will be vetted by the Editor-in-Chief's Office for possible plagiarism and duplication. Sanctions will be imposed in accordance with the guidelines of the Committee on Publication Ethics (COPE) and with the principles of the HEART Group when non-ethical issues arise. The authors must obtain the permission of the copyright holder for non-original tables, figures, graphs, images and other visuals.
- The authors should acknowledge and provide detailed information on any contributions in kind and financial support given by any foundations, institutions and firms.

 An ethics committee report prepared in conformity with the WMA Declaration of Helsinki
- Ethical Principles for Medical Research Involving Human Subjects and the Guide for the Care and Use of Laboratory Animals is required to be submitted with experimental and clinical studies, drug trial studies and some case reports. Authors may be asked by the Editor-in-Chief's Office for an ethics committee report or similar in other circumstances also. Manuscripts reporting the results of experimental studies must explain in detail all procedures which volunteer subjects and patients have undergone and a statement indicating that consent for the study has been obtained from all subjects should be included in the text. Animal studies should clearly specify how pain or discomfort has heen relieved

PREPARATION AND SUBMISSION OF MANUSCRIPTS

Manuscript files should be prepared with Microsoft Office Word. The online submission system will direct authors during all stages of submission and provide necessary support for accelerating the submission process. A list of the files that should be supplied through the online submission system is provided below.

- 1. Title Page
- 2. Main Text
- 3. Tables, Graphs and Figures
- 4. Copyright Transfer Form
- 5 Author Contribution Form
- 6. ICMJE Uniform Disclosure Form for Potential Conflicts of Interest

Title Page

Information about the authors and their institutions should not be included in the main text, tables, figures and video documents. Since submitted manuscripts are evaluated by the reviewers through the online system, personal identification is excluded in the interests of unbiased interpretation. Thus, only information about the manuscript as specified below should be included on the title page. For each type of manuscript, it is mandatory to upload a title page as a separate Microsoft Word document through the online submission system. The title page should include the names of the authors with their latest academic degrees, and the name of the department and institution, city and country where the study was conducted. If the study was conducted in several institutions, the affiliation of each author must be specified with symbols. The correspondence address should contain the full name of the corresponding author, postal and e-mail addresses, phone and fax numbers. If the content of the manuscript has been presented before, the name, date and place of the meeting must be noted. Disclosure of conflict of interest, institutional and financial support, author contributions and acknowledgments should be included on the title page.

Main Text

The manuscripts submitted to our journal are classified and evaluated according to the manuscript types stated below. During preliminary evaluation, the editors assess whether a manuscript's format and sub-headings are prepared in accordance with the journal's guidelines. Therefore, it is important that authors check the accuracy of the main text in terms of the following.

A. Manuscript Types

- Original investigation
- **Editorial comment**
- Review
- Education
- Scientific letter
- Case report Original image
- Letter to the editor
- **Publication ethics** Scientific puzzle
- Miscellaneous articles

B. References

C. Special Terms and Conditions

Manuscript Types

Original Research

- Structured Abstract: It should be structured with Objective, Methods, Results and Conclusion subheadings and should be limited to 250 words.
- Keywords: This section should contain a minimum of three and a maximum of six items in accordance with Medical Subject Headings (MeSH) terms prepared by the National Library of Medicine (NLM) and should be placed just below the abstract.
- Main Text: It should consist of Introduction, Methods, Results, Discussion, Limitations of the Study and Conclusion sections and should not exceed 5000 words excluding the references.
- · References: The reference list should be provided following the Main Text. Limiting the number of references to 50 is usually sufficient.
- · Tables, Figures and Images: They should be placed below the reference list and numbered according to their consecutive order in the main text.
- Title, Structured Abstract and Keywords should also be provided in Turkish for manuscripts submitted by Turkish authors or from Turkey. However, translations of these sections for manuscripts submitted by foreign authors outside Turkey will be the responsibility of the publisher.

Statistical Analysis: Statistical analysis should be conducted in accordance with the guidelines on reporting statistical data in medical journals [Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. Br Med J 1983: 7; 1489-93 and Lang T, Altman D. Basic statistical reporting for articles published in clinical medical journals: the **SAMPL Guidelines**. In: Smart P, Maisonneuve H, Polderman A (editors). Science Editors' Handbook, European Association of Science Editors, 2013.]. The software used for statistical analysis must be described. Data must be expressed as mean \pm standard deviation when parametric tests are used to compare continuous variables. For nonparametric tests, data must be expressed as median (minimum-maximum) or percentiles (25th and 75th percentiles). In advanced and complex statistical analyses, relative risk (RR), odds ratio (OR) and hazard ratio (HR) must be supported by confidence intervals and p values. The outcomes of statistical analyses and interpretation of the results must be in . evidence-based scientific language (Editors of Heart Group journals. Statement on matching language to the type of evidence used in describing outcomes data. Anatolian Journal of Cardiology 2012;12:709).

Editorial Comment

Authors are selected and invited by the Editor-in-Chief. This type of manuscript aims at providing a brief commentary on an article published in the journal by a researcher who is an authority in the relevant field or by the reviewer of the article.

- Main Text: It should not include subheadings and should be limited to 500 words.
- References: The reference list should follow the main text and the number of references should be limited by 15.
- · Abstract, Keywords, Tables, Figures, Images and other visuals are not included in editorial comments.
- The title should also be provided in Turkish for works submitted by Turkish authors or from Turkey. The title of the manuscripts submitted by foreign authors outside Turkey will be translated into Turkish by the Editor-in-Chief's Office.

Review

Reviews prepared by authors with extensive knowledge on a particular field, which has been reflected in international literature by a high number of publications and citations, are evaluated. The authors may be invited by the Editor-in-Chief. A review should be prepared in the format describing, discussing and evaluating the current level of knowledge or topic that is to be used in the clinical practice and it should guide further studies.

- Abstract: It should not include subheadings and should be limited to 250 words.
- Keywords: This section should contain a minimum of three and a maximum of six items in accordance with Medical Subject Headings (MeSH) terms prepared by the National Library of Medicine (NLM) and should be provided just below the abstract
- Main Text: It should include Introduction, other subheadings and Conclusion sections and should be limited to 5000 words excluding the references.
- References: The reference list should be placed just below the main text and the number of references should not exceed 50.
- Tables, Figures and Images: They should be provided after the reference list according to their order of appearance in the text.
- · For reviews submitted by Turkish authors or from Turkey, Title, Abstract and Keywords should also be provided in Turkish. For reviews submitted by foreign authors outside Turkey, translations of these sections will be the responsibility of the publisher.

NOTE: The originality of the visuals included in the reviews should be assured by submission of an accompanying letter by the authors. Appropriate citation should be done for the visuals adapted from previously published sources, in accordance with the original versions of the printed or electronic copies. The written permission obtained from the copyright holder publisher, journal or authors) should be sent to the Editor-in-Chief's Office.

Knowledge confirmed by the results of recent research studies, involved in education at academic level and used in clinical practices should be presented in detail in this type

- Abstract: It should not include subheadings and it should be limited to 250 words. Keywords: This section should contain a minimum of three and a maximum of six items
- in accordance with Medical Subject Headings (MeSH) terms prepared by the National Library of Medicine (NLM) and should be provided just below the abstract
- . Main Text: It should include Introduction, other subheadings and Conclusion sections and should not exceed 5000 words excluding the references.
- References: The reference list should be provided just below the main text and the
- The reference is should be limited to 50.
 Tables, Figures and Images: They should be provided after the reference list according to their order of appearance in the main text.
 For educational articles submitted by Turkish authors or from Turkey, Title, Abstract
- and Keywords should also be provided in Turkish. For articles submitted by foreign authors outside Turkey, the translation of these sections will be carried out by the Editor-in-Chief's Office

Scientific Letter

Manuscripts which announce a new scientific invention, are clinically significant, and are in the form of a preliminary report are accepted for publication as scientific letters.

- Main Text: It should include Introduction, other subheadings and Conclusion sections and should not exceed 900 words excluding the references.
- References: The reference list should be provided just below the main text and the number of references should be limited to 10.
- · Tables, Figures and Images: They should be provided below the reference list according to their order of appearance in the text and should be limited to two
- Abstract and Keywords should not be included.
 For scientific letters submitted by Turkish authors or from Turkey, the Title should also be provided in Turkish. For letters submitted by foreign authors outside Turkey, the translation of these sections will be carried out by Editor-in-Chief's Office.

Case Report

Since a limited number of case reports is published, only reports which are related to rare cases and conditions that constitute challenges in diagnosis and treatment, offer new methods or suggest knowledge not included in books, and are interesting and educational are accepted for publication.

- Title
- Main Text: It should include Introduction, Case Report, Discussion and Conclusion sections and should not exceed 700 words excluding the references.
- References: The reference list should follow the main text and the number of references should be limited to 10.

- Tables, Figures and Images: They should be provided after the reference list according to their order of appearance in the text and should be limited to two.
- Abstract and Keywords are not included.
- For case reports submitted by Turkish authors or from Turkey, the Title should also be provided in Turkish. For case reports submitted by foreign authors outside Turkey, the translation of these sections will be carried out by the Editor-in-Chief's Office.

NOTE 1: Case reports that include video images have a better chance of publication.

NOTE 2: For case reports to be taken under review, the first author must subscribe to the Anatolian Journal of Cardiology for one year. This requirement is only for the initiation of the preliminary assessment process. It does not guarantee acceptance for publication or evaluation. The manuscript of the subscriber will be evaluated strictly in accordance with the journal's criteria. Being a subscriber does not quarantee priority in terms of evaluation or guarantee publication. The VAT-inclusive subscription fee is 240 TL and the Anatolian Journal of Cardiology must be contacted for subscription procedures.

Original Image

Impressive and rare images that reflect significant findings based on clinical science, shed light on fundamental mechanisms of diseases, emphasize abnormalities or introduce new treatment methods are accepted for publication.

- . Main Text: It should not include subheadings and it should be limited to 250 words.
- Tables, Figures and Images: They should be provided after the main text according to their order of appearance in the text and should be limited to two.
- · Abstract, Keywords and References are not included.
- For original images submitted by Turkish authors or from Turkey, the Title should also be written in Turkish. For images submitted by foreign authors outside Turkey, the translation of this section into Turkish will be carried out by the publisher.

NOTE 1: Those manuscripts with video images have a better chance of publication.

NOTE 2: Manuscripts prepared in accordance with original image criteria are published only as an e-page at the journal's website http://www.anatoljcardiol.com.

NOTE 3: For original image manuscripts to be taken under review, the first author must subscribe to the Anatolian Journal of Cardiology for one year. This requirement is only for the initiation of the preliminary assessment process. It does not guarantee acceptance for publication or evaluation. The manuscript of the subscriber will be evaluated strictly in accordance with the journal's criteria. Being a subscriber does not guarantee priority in terms of evaluation or guarantee publication. The VAT-inclusive subscription fee is 240 TL and the Turkish Society of Cardiology must be contacted for subscription procedures.

Letter to the Editor

Letters to the Editor aim to discuss the importance of a manuscript previously published in the journal. This type of manuscripts should also include a comment on the published manuscript. Moreover, articles on topics of interest to readers within the scope of the journal, especially on educational issues, can be published in the format of a Letter to the Editor.

- Main Text: It should not include subheadings and it should be limited to 500 words.
- References: The reference list should follow the main text and the number of references should be limited to five. The volume, year, issue, page numbers, authors names and title of the manuscript should be clearly stated, included in the list of references and cited within the text.
- · Abstract, Keywords, Tables, Figures and Images, and other visuals are not included.
- · For manuscripts submitted by Turkish authors or from Turkey, the Title should also be written in Turkish. For manuscripts submitted by foreign authors outside Turkey, the translation of this section into Turkish will be carried out by the publisher.

Publication Ethics

These articles include current information on research and publication ethics and also cases of ethical violation.

- . Main Text: It should not exceed 900 words.
- · References: The reference list should follow the main text and the number of references should be limited to 10.
- Tables, Figures and Images: They should be placed after the reference list according to their order of appearance in the text and limited to two.
- Abstract and Keywords are not included.
- For articles submitted by Turkish authors or from Turkey, the Title should also be written in Turkish. For articles submitted by foreign authors outside Turkey, the translation of this section into Turkish will be carried out by the publisher.

Scientific Puzzle

Images obtained directly or on operation, visuals revealed through EKG and/or imaging methods, and macroscopic-microscopic anatomical, pathological findings of attention-grabbing and rare cases can be published. Unlike original images, the diagnosis and outcome of the case and image are hidden at the beginning in diagnostic puzzles. Four multiple-choice questions are prepared. In the following pages of the journal, the correct answer in terms of precise diagnosis and outcome is given with an explanation and didactic images and then discussed. The Editor-in-Chief will convert suitable images into the format of a diagnostic puzzle with the authors' permission.

- · Title
- . Main Text: It should not exceed 500 words.
- References: The reference list should follow the main text and be limited to a maximum
- Tables, Figures and Images: They should be placed after the reference list according to their order of appearance in the text and should be limited to five.
- Abstract and Keywords should not be included.

· For diagnostic puzzles submitted by Turkish authors or from Turkey, the Title should also be provided in Turkish. For diagnostic puzzles submitted by foreign authors outside Turkey, the translation of this section into Turkish will be carried out by the

Miscellaneous

This type of manuscript covers important events and obituaries.

- Main Text: It should not exceed 1000 words.
- References: The reference list should follow the main text and the number of references should be limited to 10.
- Tables, Figures and Images: They should be placed after the reference list according to their order of appearance in the text and should be limited to five.
- · Abstract and Keywords should not be included.
- For manuscripts submitted by Turkish authors or from Turkey, the Title should also be provided in Turkish. For manuscripts submitted by foreign authors outside Turkey, the translation of this section into Turkish will be carried out by the publisher.

References

- References should be numbered in the order in which they are cited within the main
- . Only manuscripts published or accepted for publication should be cited.
- Recent publications related to the topic of the manuscript should be reviewed.
- References that are inaccessible and not indexed in any database should not be cited.

 The titles of journals should be abbreviated in accordance with (Patrias K. Citing medicine: the NLM style guide for authors, editors, and publishers [Internet]. 2nd ed. Wendling DL, technical editor. Bethesda (MD): National Library of Medicine (US); 2007 [updated 2011 Sep 15; cited Year Month Day].
- For references with six and fewer authors, all authors should be listed. For references with more than six authors, the first six authors should be listed, followed by 'et al'. The style and punctuation of the references should be formatted as in the following

Journal: Muller C, Buttner HJ, Peterson J, Roskomun H. A randomized comparison of clopidogrel and aspirin versus ticlopidine and aspirin after placement of coronary artery stents. Circulation 2000; 101: 590-3.

Book Chapter: Sherry S. Detection of thrombi. In: Strauss HE, Pitt B, James AE, editors. Cardiovascular Medicine. St Louis: Mosby; 1974. p.273-85.

Book with Single Author: Cohn PF. Silent myocardial ischemia and infarction. 3rd ed. New

Editor(s) as author: Norman IJ, Redfern SJ, editors. Mental health care for elderly people. New York: Churchill Livingstone; 1996

Conference Paper: Bengisson S. Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992.p.1561-5.

Scientific or Technical Report: Smith P. Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and Inspections: 1994 Oct. Report No: HHSIGOE 169200860.

Thesis: Kaplan SI. Post-hospital home health care: elderly access and utilization (dissertation). St Louis (MO): Washington Univ. 1995.

Manuscripts accepted for publication but not published yet: Leshner Al. Molecular mechanisms of cocaine addiction. N Engl J Med In press 1997.

Epub ahead of print articles: Aksu HU, Ertürk M, Gül M, Uslu N. Successful treatment of a patient with pulmonary embolism and biatrial thrombus. Anatol J Cardiol 2012 Dec 26. doi: 10.5152/akd.2013.062. [Epub ahead of print]

Manuscript published in electronic format: Morse SS. Factors in the emergence of infectious diseases. Emerg Infect Dis (serial online) 1995 Jan-Mar (cited 1996 June 5): 1(1): (24 screens). Available from: URL: http://www.cdc.gov/ncidodIEID/cid.htm.

C. Special Terms and Conditions

- For double-blinded peer-review process, the names of the corresponding author and other authors, their affiliations and any information on the study centres should not be included in any part of the submitted manuscripts and images, except the Title Page. This information should be added to the relevant section of the online submission system and included in the Title Page.
- Pharmaceutical products should be written with their generic names and brand and company names, city and country should be specified for medical equipment and devices.

Tables, Graphs and Figures

- Tables, Graphs, Figures and other visuals should be numbered in the order of their citation within the text and names of patients, doctors and institutions should not be
- · Tables should be prepared in a Microsoft Office Word document using the command 'Insert Table' and inserted at the end of the references in the main text.

 Tables should not be submitted in JPEG, TIFF or other visual formats. For microscopic
- images, the magnification ratio and staining technique used should be specified in addition to figure legends.

- · All visuals should have a high resolution (minimum 300 dpi).
- The thickness of the lines in graphs should be sufficient to minimize loss of quality if size reduction is needed during the printing process. The width of the graphs should be 9 cm or 18 cm. Drawings should be performed by professionals. No grey colours should be used.
- Abbreviations should be explained in alphabetical order at the bottom of the tables. graphs and figures
- · Roman numbers should be avoided in tables and figures within the text and their titles.
- Decimal numbers used in text, tables and figures should be separated by commas in Turkish sections and by dots in English sections.
- · Tables should be easily understandable and should not repeat the data in the main text.
- In addition to the pictures included in case reports and original images, video and movie images are published on the journal's website. These images should be prepared in MPEG format with a maximum size of 2 MB. They should be submitted to the journal with the manuscript documents. The names of patients, doctors, institutions and places should be omitted from all documents.

NOTE: All visuals in the manuscripts are printed in black and white without charge. However, 300 TL per article must be paid if colour is required. The Editor-in-Chief's Office of the Anatolian Journal of Cardiology should be contacted for payment.

EVALUATION AND PUBLICATION

- The main text submitted to the journal must be in English. Manuscripts written in other languages are not accepted. Citation potential is higher for manuscripts in English.
- The Editor-in-Chief's Office checks the conformity of the manuscript with the journal's general guidelines before sending it to associate editors and reviewers. Any manuscripts not prepared in accordance with the journal's guidelines will be returned for revision. The evaluation period is limited to 21 days. If revision is requested, authors should submit their revised manuscripts within 24 days. Manuscripts and revisions should be submitted through the online manuscript submission system at the website http://www.anadolukardiyolderg.com. Manuscripts sent by e-mail will not be
- Manuscripts are evaluated in accordance with the principles of double-blinded peer review. Of the submitted manuscripts, those considered to be suitable are subjected to preliminary evaluation by the Editor-in-Chief's assistants in terms of style, format, etc. and by the Editor-in-Chief in terms of their content. Manuscripts considered to be scientifically adequate are assigned to four reviewers. These reviewers are independent experts and members of the editorial board who have published internationally on the topic of the manuscript. Research articles, systematic reviews and meta-analyses are also evaluated by the Editor-in-Chief's statistician counsellors in addition to peer review. When needed, the manuscripts are scanned by the Editorin-Chief's Office using the iThenticate program for determination of plagiarism and non-ethical situations. Also, all manuscripts are reviewed and edited for compliance with the rules of English grammar. All contributing authors of a manuscript accepted for publication are deemed to have accepted the right of editors to make corrections provided that no fundamental change is made to the basic meaning of the original text. Manuscripts not accorded priority for publication by the Editor-in-Chief, Editor, Associate Editors and Referees are rejected.
- The retraction requests of the manuscripts close to the final decision in evaluation process, without any reasonable explanation (not contrary to the Publication Ethics) is considered in the scope of rejection decision. Manuscripts that are not revised and resubmitted within the specified time and fail to notify the journal accordingly will be rejected.
- Once a manuscript is accepted for publication, addition to the author list, removal from the author list and order change cannot be effected.
- · Manuscripts accepted for publication are prepared as 'Epub ahead of print articles' and published with an assigned DOI on the journal website http://www.anatoljcardiol.com.
- · Information on the latest status of manuscripts submitted for evaluation and other information about the journal are available on the website http://www.anatoljcardiol. com. Contact details for the Editor-in-Chief's Office and the publisher are given below.

: Turkish Society of Cardiology **Owner**

Address : Çobançeşme Sanayi Cad., No:11, Nish İstanbul, A Blok, No:47-48, 34196,Yenibosna, Bahçelievler, İstanbul, TURKEY Address

Phone : +90 212 221 17 30 / +90 0212 221 17 38

Fax +90 212 221 17 54 E-mail : tkd@tkd.org.tr

Editor-in-Chief: Prof. Dr. Bilgin Timuralp

: ESOGÜ Tıp Fakültesi, Merkezi Derslikler, Kat:3, No:1, 26480, Address

Meşelik, Eskişehir, TURKEY : +90 222 229 15 65 / +90 533 966 48 67

: +90 222 229 15 85 Fax E-mail : info@anatolicardiol.com

: AVES - İbrahim Kara Publisher

Address : Büyükdere cad. 105/9, 34394, Mecidiyeköy, Şişli, İstanbul, TURKEY

: +90 212 217 17 00 Phone Fax : +90 212 217 22 92 E-mail : info@avesyayincilik.com

Phone

CONTENTS

347

396

404

INVITED EDITORIAL

Reflections from ACC 2015

	Lale Tokgözoğlu; Ankara- <i>Turkey</i>	
(ORIGINAL INVESTIGATIONS	
•	The impact of cytochrome P450 2C19 polymorphism on the occurrence of one-year in-stent restenosis in patients who underwent percutaneous coronary intervention: A case-match study Younes Nozari, Sirous Vosooghi, Mohammadali Boroumand, Hamidreza Poorhosseini, Ebrahim Nematipour, Mojtaba Salarifar, Seyed Ebrahim Kassaian, Alireza Amirzadegan, Mohammad Alidoosti, Ali-Mohammad Haji-Zeinali, Sepideh Saroukhani; Tehran- <i>Iran</i>	348
	Editorial Comment: The impact of cytochrome P 450 2 C19 polymorphism on the occurrence of 1-year in-stent restenosis in patients who underwent percutaneous coronary intervention: A case-match study Bertalan Kracskó; Debrecen- <i>Hungary</i>	354
	Does epicardial adipose tissue volume provide information about the presence and localization of coronary artery disease? Neşat Çullu, Mecit Kantarcı, Yeşim Kızrak, Berhan Pirimoğlu, Ümmügülsüm Bayraktutan, Hayri Oğul, Leyla Karaca; Muğla, Erzurum- <i>Turkey</i>	355
	Editorial Comment: Epicardial adipose tissue: Just a predictor or a local player for coronary atherosclerosis? Cemil İzgi; London- <i>UK</i>	360
	Wall motion changes in myocardial infarction in relation to the time elapsed from symptoms until revascularization Ildikó Rácz, László Fülöp, Rudolf Kolozsvári, Gábor T. Szabó, Annamária Bódi, Andrea Péter, Attila Kertész, Ida Hegedüs, István Édes, László Balkay, Zsolt Köszegi; Debrecen- <i>Hungary</i>	363
	Editorial Comment: Searching for the key to improve infarcted cardiac wall motion and prevent ventricular remodeling after ST-segment elevation myocardial infarction: Beyond symptom-onset-to-balloon time Myung Ho Jeong; Gwangju- <i>Republic of Korea</i>	37 1
	Predictors of successful percutaneous transvenous mitral commissurotomy using Bonhoeffer Multi-Track system in patients with moderate to severe mitral stenosis - Can we see beyond the Wilkin's score? Muhammad Tariq Farman, Naveedullah Khan, Jawaid Akbar Sial, Tahir Saghir, Tariq Ashraf, Syed Ishtiaq Rasool, Khan Shah Zaman; Karachi, Larkana- <i>Pakistan</i>	373
•	Neutrophil-to-lymphocyte ratio is increased in patients with rheumatic mitral valve stenosis Mehmet Kadri Akboğa, Ahmet Akyel, Asife Şahinarslan, Çağrı Yayla, Yakup Alsancak, Gökhan Gökalp, Serdar Nurkoç, Adnan Abacı; Ankara- <i>Turkey</i>	380
	Could elevated platelet-lymphocyte ratio predict to left ventricular systolic dysfunction in patients non ST-elevated acute coronary syndrome? Adem Bekler, Emine Gazi, Mustafa Yılmaz, Ahmet Temiz, Burak Altun, Ahmet Barutçu, Tezcan Peker; Çanakkale, Bursa- <i>Turkey</i>	385
•	Relationship between platelet-to-lymphocyte ratio and coronary slow flow Muhammed Oylumlu, Adnan Doğan, Mustafa Oylumlu, Abdülkadir Yıldız, Murat Yüksel, Fethullah Kayan, Celal Kilit, Basri Amasyalı; Kütahya, Diyarbakır-	391

EDUCATIONS

review of the literature

Spontaneous coronary artery dissection: Case series from two institutions with literature review
 Carlos Esteban Uribe, Juan David Ramirez-Barrera, Carlos Rubio, Cesia Gallegos, Luz Adriana Ocampo, Clara Saldarriaga, Carlos Eusse, Carlos Tenorio,
 Nilson Lopez, Andres Moreno, Natalia Gonzalez Jaramillo, Alexander Morteza Chehrazi-Raffle, Vikas Singh, Pedro Martinez-Clark; Medellín Colombia,
 North Chicago IL, Miami FL-USA
 How do we measure epicardial adipose tissue thickness by transthoracic echocardiography?

Arterial stiffness and central arterial wave reflection are associated with serum uric acid, total bilirubin and neutrophil-to-

Different clinical presentations of Naxos disease and Carvajal syndrome: Case series from a single tertiary center and

Ali Baykan, Şeref Olgar, Mustafa Argun, Abdullah Özyurt, Özge Pamukçu, Kazım Üzüm, Nazmi Narin; Kayseri, Kahramanmaraş-Turkey

Serpil Eroğlu; Ankara-*Turkey*

lymphocyte ratio in patients with coronary artery disease

Aslı Tanındı, Avçan Fahri Erkan, Aslıhan Alhan, Hasan Fehmi Töre; Ankara-Turkev

CONTENTS

	CIENCIFIC LETTERS	
•	Right ventricular ischemic insult: a comprehensive protocol with cardiovascular magnetic resonance Sherif Moustafa, David J. Patton, Mansour Al Shanawani, Faisal Al Samadi, Farouk Mookadam; Riyadh- <i>Kingdom of Saudi Arabia</i> , AZ- <i>USA</i> , AB- <i>Canada</i>	420
	Apical systolic flow within the left ventricle: A novel and simple Doppler parameter in prediction of mitral regurgitation severity Hacer Ceren Tokgöz, Cihangir Kaymaz, Selçuk Öztürk, Alper Özkan, Özgür Yaşar Akbal, Fatih Yılmaz, İbrahim Halil Tanboğa, Nihal Özdemir, Mehmet Mustafa Can; İstanbul, Erzurum- <i>Turkey</i>	423
C	ASE REPORTS	
	Short-long-short sequence-induced torsade de pointes after transcatheter aortic-valve implantation Kevser Gülcihan Balcı, Mustafa Mücahit Balcı, Samet Yılmaz, Orhan Maden; Ankara- <i>Turkey</i>	426
•	Elizabethkingia meningosepticum endocarditis: A rare case and special therapy Jing Yang, Wencheng Xue, Xiaonan Yu; Shenyang- <i>China</i>	427
	New technique for challenging cases of percutaneous balloon mitral valvuloplasty: The venoarterial looping İsmail Ateş, Şeref Ulucan, Zeynettin Kaya, Mehmet Doğru, Hüseyin Katlandur, Ahmet Keser; Almaty- <i>Kazakhstan</i> ; Konya, Antalya- <i>Turkey</i>	428
D	IAGNOSTIC PUZZLES	
	Hypotension, tachycardia, and tachypnea in a patient with coronary artery disease Tolga Çimen, Hasan Ali Durmaz, Ahmet Akyel, Ekrem Yeter, Kasım Karapınar, Mehmet Ali Felekoğlu; Ankara- <i>Turkey</i>	430
	ETTERS TO THE EDITOR	
	Methods to increase clinical applicability of heart rate variability analysis for noninvasive detecting severity of coronary lesions in patients with coronary heart disease Anton R. Kiselev, Vladimir A. Shvartz, Anatoly S. Karavaev, Mikhail D. Prokhorov; Saratov, Moscow- <i>Russia</i>	431
•	Obesity and coronary bypass	432
	Mert Kestelli, Şahin İşcan, Habib Çakır, İsmail Yürekli; İzmir- <i>Turkey</i>	102
•	Noncompaction with dysmorphism, mental retardation, general wasting, and hypogonadism requires neurologic and sophisticated cytogenetic investigations Josef Finsterer, Sinda Zarrouk-Mahjoub; Vienna-Austria, Monastir-Tunisie	433
•	Thrombus formation during septal puncture İsa Öner Yüksel, Erkan Köklü, Çağın Mustafa Üreyen, Şakir Arslan; Antalya- <i>Turkey</i>	434
•	Noninvasive cardiac imaging for the diagnosis of coronary artery disease in women F. Suna Kıraç; Nicosia- <i>Turkish Republic of Northern Cyprus</i>	435
•	Epicardial fat and coronary artery disease: An open debate Yavuzer Koza, Emine Buket Yanık, Ömer Faruk Derman; Erzurum- <i>Turkey</i>	437
•	The detection of cardiac tamponade by hemodynamic transesophageal echocardiography after left ventriculer assist device implantation Mustafa Kurşun, Sanem Nalbantgil, Serkan Ertugay, Cağatay Engin, Tahir Yağdı, Mustafa Özbaran; İzmir- <i>Turkey</i>	438
D	IAGNOSTIC PUZZLES - ANSWER	
•	Hypotension, tachycardia, and tachypnea in a patient with coronary artery disease Tolga Çimen, Hasan Ali Durmaz, Ahmet Akyel, Ekrem Yeter, Kasım Karapınar, Mehmet Ali Felekoğlu; Ankara- <i>Turkey</i>	440
٨	1ISCELLANEOUS	
•	How can we forget our mentor Prof. Baki! Galip Ataman; Kocaeli- <i>Turkey</i>	441
Ε	-PAGE ORIGINAL IMAGES	
•	An unusual image of Vieussens' arterial ring communicating with the pulmonary artery Yakup Alsancak, Sina Ali, Mustafa Duran, Ayşe Saatçi Yaşar, Mehmet Bilge; Ankara- <i>Turkey</i>	E-13
	Bicuspid aortic valve and extremely elongated chordae tendineae protruding into the left ventricular outflow tract Ali Rıza Akyüz, Selim Kul; Trabzon- <i>Turkey</i>	E-14
•	Combination of tetralogy of Fallot with absent pulmonary valve and left pulmonary artery originating from patent ductus arteriosus: A rare association in an infant Murat Savgi, Furkan Kılınc, Ahmet İrdem, Erkut Öztürk, Alper Güzeltas: İstanbul- <i>Turkey</i>	E-15