THE ANATOLIAN JOURNAL OF CARDIOLOGY



Reply to Letter to the Editor: "Fragmented QRS Pattern in Patients with COVID-19: Further Insights into Its Temporal and Mechanistic Features"

To the Editor,

We have recently read with great interest the article entitled *Fragmented QRS* pattern in patients with COVID-19: Further insights into its temporal and mechanistic features. The paper is an invaluable mini-review on the possible pathophysiological mechanisms and clinical implications of fragmented QRS (f-QRS) in patients with novel coronavirus disease (COVID-19).¹ We thank the authors for their interest and thoughtful comments on our study.² We would like to answer 2 questions that the authors wonder about our paper. First, we agree with the authors that it is important to determine whether f-QRS is reversible or irreversible in order to have clearer evidences about long-term outcomes. However, our study was designed retrospectively. Therefore, we did not perform a prospective follow-up of survivors. Secondly, as the authors mentioned, coronary slow flow (CSF) may be an important indicator of hyperinflammation. On the other hand, there was no patient who underwent emergent coronary angiogram in our study population. Therefore, it was not possible to perform CSF analysis in patients with ST-segment depression on an electrocardiogram.

REFERENCES

- Taylan G, Öztürk C, Yalta K. Fragmented QRS pattern in patients with COVID-19: Further insights into its temporal and mechanistic features. Anatol J Cardiol. 2022;26(3):239-240.
- Özdemir İH, Özlek B, Özen MB, et al. Fragmented QRS is a marker of mortality in patients with severe COVID-19: a retrospective observational study. *Anatol J Cardiol.* 2021;25(11):811-820. [CrossRef]

LETTER TO THE EDITOR REPLY

İbrahim Halil Özdemir 🕩

Bülent Özlek D²

Eda Özlek 🕩 2

¹Department of Cardiology, Manisa City Hospital Manisa, Turkey ²Department of Cardiology, Faculty of Medicine, Sitkı Koçman University, Muğla, Turkey

Corresponding author: İbrahim Halil Özdemir

🖂 dr.ibrahimhalilozdemir@gmail.com

Cite this article as: Özdemir İH, Özlek B, Özlek E. Reply to letter to the editor: "Fragmented QRS pattern in patients with COVID-19: Further insights into its temporal and mechanistic features". Anatol J Cardiol 2022;26(3):241.

Cop By NC Cop

Copyright@Author(s) - Available online at anatoljcardiol.com. Content of this journal is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

DOI:10.5152/AnatolJCardiol.2022.L4